

The All-Electron Treating of the Spin-Orbit Interaction Based on Single-Determinant Wavefunction

M. Ilias

published in

Modern Methods and Algorithms of Quantum Chemistry,
J. Grotendorst (Ed.), John von Neumann Institute for Computing,
Jülich, NIC Series, Vol. 2, ISBN 3-00-005746-3, p. 51, 2000.

© 2000 by John von Neumann Institute for Computing

Permission to make digital or hard copies of portions of this work for personal or classroom use is granted provided that the copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise requires prior specific permission by the publisher mentioned above.

<http://www.fz-juelich.de/nic-series/>

THE ALL-ELECTRON TREATING OF THE SPIN-ORBIT INTERACTION BASED ON SINGLE-DETERMINANT WAVEFUNCTION

MIROSLAV ILIAS

*Department of Physical Chemistry, Faculty of Natural Sciences,
Comenius University Bratislava, Mlynska dolina CH-1, SK-84215 Bratislava, Slovakia
E-mail: ilias@fns.uniba.sk*

Two possible approaches for treating the spin-orbit effects in heavy element systems are presented here: a) The double-perturbative treatment at the post-HF level together with the electron correlation, b) The variational two-component approach where the spin-orbit term is added to the scalar Hamiltonian and the energy functional is minimized. The former is proposed for calculating the spin-orbit energy shift in closed-shell systems, the latter is suitable also for calculating the spin-orbit splitting in open-shell systems. In both approaches the effective one-electron (mean-field) spin-orbit operator is used.